

KAYNAKLAR

- Abuse Prevention and Harm Reduction Program for College Students. In VISTAS: Compelling Perspectives on Counseling 2005. Edited by Walz, G.R. and Yep, R.K. Alexandria, Virginia: American Counseling Association.
- Adams PR ve Adams GR (1984). Mount Saint Helens's ash fall: Evidence for stress reaction. *American Psychologist*, 39, 252-260.
- Ak İ, Erden C, İnci Y. ve ark. (1993). "Self-mutilasyonun psikososyal yönden incelenmesi", 29. Ulusal Psikiyatri Kongresi Program ve Özetleri, Bursa, 80.
- Aksoy A (2006). Lise öğrencilerinde kendi zarar verme istismar ve madde kullanımı davranışlarını incelenmesi. İstanbul Üniversitesi Ticaret Üniversitesi Sosyal Bilimler Enstitüsü Uygulamalı Psikoloji Bölümü, İstanbul.
- Akvardar Y , Türkcan A, Çakmak D (2002). Doktorlar Arasında Madde Kötüye Kullanımı Bir Sorun mu? *Türk Psikiyatri Dergisi*; 13(3):238-244.
- Albanese MJ, Khantzian EJ, Murphy SL, Green AI (1994). Decreased substance use in chronically psychotic patients treated with clozapine. *Am J Psychiatry*;151:780-781.
- Alcohol/Drug Screening and Brief Intervention in Psychiatry. Governor's Institute on Alcohol & Substance Abuse. Revised: August 28, 2006
- Alpay N (1994). Alkol dışı madde bağımlılığında sosyodemografik özellikler. 30. Ulusal Psikiyatri Kongresi, yayınlanmamış bildiri, Antalya
- Altıparmak E, Koçak M, Kundakçı N, ve ark. (1999). Lepralı hastalarda hepatit B ve Hepatit C yaygınlığı. *Gastroenteroloji Dergisi*; 10: 253-255.
- AMATEM (1995).Uyuşturucuya karşı toplumsal yaygın mücadele programı (UTOPYA).
- American Academy of Child Adolescent Psychiatry (2007). ADHD - A Guide for Families. Retrieved on.
- An Evidence-Based Alcohol Screening, Brief Intervention and Referral to Treatment (SBIRT) Curriculum for Emergency Department (ED) Providers Improves Skills and Utilization." The Academic ED SBIRT Research Collaborative. Co-published simultaneously in Substance Abuse (The Haworth Medical Press, an imprint of The Haworth Press, Inc.) Vol. 28, No. 4, 2007, pp. 79-92; and: Alcohol/Drug Screening and Brief Intervention: Advances in Evidence-Based Practice (ed: Richard Saitz, and Marc Galanter) The Haworth Medical Press, an imprint of The Haworth Press, Inc., 2007, pp. 79-92.
- Andeasson S, Allebeck P, Romelsjö A (1988). Alcohol and mortality among young men: Longitudinal study of Swedish conscripts. *BMJ*; 296: 1021-1025.
- Anderson RM, Funnell MM, Butler PM ve ark. (1995).Patient empowerment. Results of a randomised controlled trial. *Diabetes Care*; 18: 943-949.
- Anderson, P. & Scott, E. (1992) The effect of general practitioners' advice to heavy drinkind men. *British Journal of Addiction*, 87, 891-900.
- Andreasson S, Romelsjö A, Allebeck P (1991). Alcohol, social factors and mortality among young men. *Br J Addiction*; 86: 877-87.
- Anglin MD (1992). Drug abuse treatment, (Ed) R.Watson Humane Press, s:4.
- Appleby L (2000). Drug misuse and suicide: a tale of two services. *Addiction*; 95: 175-177.
- Aral J, Tolgay A (1996) Grup tedavisi ve bağımlı hastalarda uygulaması. Alkol kullanım bozuklukları ve tedavisi kitabından. Ed: Çelikkol A. Ege Psikiyatri Sürekli Yayınları. Ege Üniversitesi Basımevi, Bornova,
- Arıkan Z (1998) Saha ve hastanelerde alkol kullanım bozukluğu tedavisi. Alkol ve alkol dışı madde bağımlılığı kitabından. Ed: Dilbaz N.
- Arıkan Z, Kuruoğlu AÇ, Aslan S (2002). Alkol bağımlılığında panik bozukluk: Retrospektif bir çalışma. *Bağımlılık Dergisi*,3(1):9-16
- Arnold JE (1998). Reference form and discourse patterns. (Doctoral dissertation, Stanford University, 1998). Dissertation abstracts international, 59/08, 2950.
- Arnold JE (1999). Marking Salience: the Similarity of Topic and Focus. Ms., University of Pennsylvania.

- Arseneault L, Cannon M, Poulton R, Murray R, Caspi A, Moffitt TE (2002). Cannabis use in adolescence and risk for adult psychosis: longitudinal prospective study. *BMJ* 23;325(7374):1212-3.
- Asmundson G, Wright K ve Stein M (2002). Pain and PTSD Symptoms in female veterans. *European Journal of Pain*, Volume 8, Issue 4, sf: 345-350.
- Avşar M, Tamar D, Avşar E (1999).İntravenöz ilaç bağımlılarında HCV prevalansı. *Turkish Journal of Gastroenterology*. XVI. Ulusal Gastroenteroloji Kongresi Bildiriler, Antalya
- Ayalon O (1998). Reconciliation – Changing the Face of the Enemy, *Community Stress Prevention*, Vol: 3.
- Babor, T.F. & Higgins-Biddle, J.C. (2000) Alcohol screening and brief intervention: dissemination strategies for medical practice and public health, *Addiction*, 95, 677–686
- Baer, John S., Daniel R. Kivlahan, Arthur W. Blume, Patrick McKnight, and G. Alan Marlatt. 2001. “Brief Intervention for Heavy-Drinking College Students: 4-Year Follow-Up and Natural History.” *American Journal of Public Health* 91(8):1310–16.
- Baethge C, Baldessarini RJ, Khalsa HM, Hennen J, Salvatore P, Tohen M. (2005) Substance abuse in first-episode bipolar I disorder: indications for early intervention. *Am J Psychiatry* May;162(5):1008-10
- Baker A, Boggs TG, Lewin TJ. (2001). Randomised controlled trial of brief cognitive-behavioural interventions among regular users of amphetamine. *Addiction*; 96: 1279–1287.
- Baker A, Heather N, Wodak A, ve ark. (1993). Evaluation of a cognitive-behavioural intervention for HIV prevention among injecting drug users. *AIDS*; 7: 247–256.
- Baker A, Lewin T, Reichler H, ve ark. (2002). Evaluation of a motivational interview for substance use within psychiatric in-patient services. *Addiction*; 97: 1329–1337.
- Bakım B, Karamustafalıoğlu KO, Ögütçen Ö, Yumrukçal H (2006). HIV Enfeksiyonunda Alkol-Madde Kullanım Bozuklukları. *Bağımlılık Dergisi*;7(2):91-97
- Baldwin DC, Hughes PH, Conrad SE ve ark. (1991) Substance use among senior medical students: a survey of 23 medical schools. *JAMA*, 265: 2074-2078.
- Ballesteros, J., Gonzalez-Pinto, A., Querejeta, I. & Arriño, J. (2004) Brief interventions for hazardous drinkers delivered in primary care are equally effective in men and women, *Addiction*, 99, 103–108.
- Ballinger BR (1971). “Minor self-injury”. *British Journal of Psychiatry*, 8: 535-538.
- Ballon BC, Courbasson CMA ve Smith PC (2001) . Physical and sexual abuse issues among youths with substance use problems. *The Canadian Journal of Psychiatry*, 46(7): 17-621.
- Banerjee SR (2001). Physical Abuse of Street and Slum Children of Kolkota. *Indian Pediatrics*, 38: 163-1170.
- Barkley RA (1998) Attention-deficit hyperactivity disorder. *Sci Am*. 279(3):66-71.
- Barkley RA, Fischer M, Edelbrock CS ve ark. (1990). The adolescent outcome of hyperactive children diagnosed by research criteria: I. An 8-year prospective follow-up study. *J Am Acad Child Adolescent Psychiatry*: 29:546-557.
- Barnett PG, Rodgers JH, Bloch DAA. (2001). Meta-Analysis Comparing Buprenorphine to Methadone for Treatment of Opiate Dependence. *Addiction*;96:683-690.
- Barry KL. Brief Interventions And Brief Therapies for Substance Abuse. *Treatment Improvement Protocol (TIP) Series* 34 . U.S. Department Of Health And Human Services. DHHS Publication No. (SMA) 99-3353, 1999
- Barry, L. K. Brief Interventions And Brief Therapies for Substance Abuse. *Treatment Improvement Protocol (TIP) Series* 34 . U.S. Department Of Health And Human Services. DHHS Publication No. (SMA) 99-3353, 1999
- Bayraktar E, Bağdiken İ (1996) alkol kullanımının yol açtığı mental bozukluklar. *Ege psikiyatri sürekli yayınları kitabından*. Ed: Ahmet Çelikkol.
- Beautrais AL, Joyce PR, Mulder RT (1999). Cannabis abuse and serious suicide attempts. *Addiction*, 94(8):1155-1164.
- Belli H, Özçetin A, Ertem Ü, Alpaly E, Bahçebaşı T, Kıran ÜK, Baykız AF, Bayık Y (2007). Şizofreni hastalarında bazı sosyodemografik özellikler ve tedavi ile ilişkili etkenler *Anadolu Psikiyatri Dergisi* 8(2):102-112.

- Bensley LS, Spieker SJ, Van Eenwyk J ve Schoder J (1998) .Self-reported abuse history and adolescent problem behaviors. *J. Adolescent Health* 1998, 24: 173-180.
- Beresford TP, Clapp L, Martin B, Wiberg JL, Alfors J, Beresford HF (2005). Aripiprazole in schizophrenia with cocaine dependence: a pilot study. *J Clin Psychopharmacol*; 25:363–366.
- Berg, I.K., and Reuss, N. . Solution-focused brief therapy: Treating substance abuse. *Current Thinking and Research in Brief Therapy* . 2:57-83, :1998.
- Bergen HA, Martin G, Richardson AS, Allison A ve Roeger L (2004) Sexual abuse, antisocial behaviour and substance use: gender differences in young community adolescents. *Australian and New Zealand Journal of Psychiatry*, 38: 34-41.
- Berglund M, Krantz P., Lundqvist G (1987). "Suicide in Alcoholism", *Act Psyc Sc*; 76:381-385.
- Berg-Smith SM, Stevens VJ, Brown KM, ve ark. (1999). A brief motivational intervention to improve dietary adherence in adolescents. The Dietary Intervention Study in Children (DISC) Research Group. *Health Educ Res*; 14: 399–410.
- Bernstein EM, Putnam FW (1986). Development, reliability, and validity of a dissociation scale. *J Nerv Ment Dis*; 174: 727-735
- Beyazyürek M, Tuncer C, Ersül Ç (1988). Madde bağımlılığı ve AIDS. 24. Ulusal Psikiyatri ve Nörolojik Bilimler Kongresi. Ankara, s. 811-816
- Biederman J ve ark. (1999). Pharmacotherapy of attention-deficit/hyperactivity disorder reduces risk for substance use disorder. *Pediatrics*,104(2):e20.
- Bien T, Miller W (1996).Tonigan Brief interventions for alcohol problems: a review. *Journal of Addiction*. S. 88, 315-316.
- Bien TH,Miller WR, Boroughs JM (1993). Motivational interviewing with alcohol outpatients. *Behavioural and Cognitive Psychotherapy*; 21: 347–356.
- Bien, T. H., Miller, W. R. & Tomgan, S. (1993) Brief intervention for alcohol problems: a review, *Addiction*, 88, 315–336.
- Bijur P.E., Kurzon M., Overpeck M.D., Scheidt P.C. (1992) "Parental alcohol use, problem drinking, and children's injuries", *JAWA*, 267 (23): 3166-71.
- Bilder RM, Goldman RS, Volavka J, Czobor P, Hoptman M, Sheitman B, Lindenmayer JP, Citrome L, McEvoy J, Kunz M, Chakos M, Cooper TB, Horowitz TL, Lieberman JA (2002). Neurocognitive effects of clozapine, olanzapine, risperidone, and haloperidol in patients with chronic schizophrenia or schizoaffective disorder. *Am J Psychiatry*;159:1018–1028.
- Bilir N (2007). Sigara bırakmada yeni bir ilaç: varenicline yeni bir umut mu? *Halk Sağlığı Uzmanları Derneği Teknik Raporları* No: 04.
- Birch D, Ashton H, Kamali F (1998) Alcohol, drinking, illicit drug use and stress in junior house officers in north-east England. *Lancet*, 352: 785-786.
- Bischof, G., Rumpf, H. J., Hapke, U., Meyer, C. & Jhon, U. (2001) Factors influencing remission from alcohol dependence without formal help in a representative population sample, *Addiction*, 96, 1327-1336
- Borges G, Walters EE, Kessler RC (2000). Associations of substance use, abuse, and dependence with subsequent suicidal behavior. *Am J Epidemiol*; 151: 781-789.
- Borsari, Brian, and Kate B. Carey. 2000. "Effects of a Brief Motivational Intervention With College Student Drinkers." *Journal of Consulting and Clinical Psychology* 68(4):728–33.
- Bowers MB Jr, Mazure CM, Nelson JC, Jatlow PI (1990). Psychotogenic drug use and neuroleptic response. *Schizophr Bull*;16:81–85.
- Bozkurt O, Pektaş Ö, Kalyoncu ÖA, Mırsal H, Beyazyürek M (2003). Anksiyete ve alkol kullanımı bozukluğu ilişkisi: Bir olgu sunumu. *Bağımlılık Dergisi*,4(3):123-126
- Bradley, K. A., Williams, E. C., Achtmeyer, C. E., Hawkins, E. J., Harris, A. H. S., Frey, M. S., Craig, T. C. & Kivlahan, D. R.(2007) Measuring performance of brief alcohol counseling in medical setting: from veterans affairs (VA) health care system. *Substance Abuse*, 28, 4, 133-149.
- Brady K (1999). Treatment of comorbid anxiety and substance abuse: Emerging strategies for treatment of chronic depression. Hales R. *Current perspectives in Psychiatry*. New york; Mc Graw Hill, 189-211.

- Brady K, Anton R, Ballenger JC, Lydiard RB, Adinoff B, Selander J (1990). Cocaine abuse among schizophrenic patients. *Am J Psychiatry*;147:1164–1167.
- Brady KT, Sonne SC, Malcolm RJ, Randall CL, Dansky BS, Simpson K, Roberts JS, Brondino M. (2002) Carbamazepine in the treatment of cocaine dependence: subtyping by affective disorder. *Exp Clin Psychopharmacol* 10:276–285
- Bransma R. (1996). Hepatitis C: A forgotten virus. *Jellinek Quarterly*
- Brems C ve Namyniuk L (2002). The relationship of childhood abuse history and substance use in Alaska sample. *Substance Use and Misuse*, 37 (4): 473–494.
- Brickman B (1988). Psychoanalysis and substance abuse: toward a more effective approach. *Journal of American Academy of Psychoanalysis*, 16: 359–379.
- Chaim G, Armstrong S, Shenfeld J, Kelly C, Li S. *Brief Couples Therapy Group and Individual Couple Treatment for Addiction and Related Mental Health Concerns Centre for Addiction and Mental Health, Canada, 2003*
- Szapocznik J, Hervis O, Schwartz S. *Brief Strategic Family Therapy for Adolescent Drug Abuse. National Institute on Drug Abuse NIH Publication Number 03-4751 August 2003*
- Briere J, Gil E (1998). “Self-mutilation in clinical and general population samples: prevalence, correlates and functions”, *Am J Orthopsychiatry*, 68:609–620.
- Brink W (1995). The effects of Harm Reduction in Amsterdam, *European Addiction Research*, 1, 92–98.
- Brink W, (1996). Harm reduction or harm production. *Jellinek Quarterly*, 2, s:9.
- Broner RK, King VL, Kidorf M, Schmidt CW (1997). Psychiatric and substance use comorbidity among treatment seeking opioid abusers. *Arch Gen Psychiatry*, 54: 71–80.
- Brown ES, Bobadilla L, Nejtck VA, Perantie D, Dhilon A, Frol A (2003). Open-label nefazodone in patients with a major depressive episode and alcohol dependence. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 27: 681–685.
- Brown ES, Jeffress J, Liggins JD, Garza M, Beard L. (2003c) Switching outpatients with bipolar or schizoaffective disorders and substance abuse from their current antipsychotic for aripiprazole. *J Clin Psychiatry* 66:756–760
- Brown ES, Nejtck VA, Perantie DC, Orsulak PJ, Bobadilla L. (2003b) Lamotrigine in patients with bipolar disorder and cocaine dependence. *J Clin Psychiatry* 64:197–201
- Brown ES, Nejtck VA, Perantie DC, Rajan Thomas N, Rush AJ (2003). Cocaine and amphetamine use in patients with psychiatric illness: a randomized trial of typical antipsychotic continuation or discontinuation. *J Clin Psychopharmacol*; 23:384–388.
- Brown JM, Miller WR(1993). Impact of motivational interviewing on participation and outcome in residential alcoholism treatment. *Psychol Addict Behav*; 7: 211–218.
- Brown SA, Shuckit MA (1988). Changes in depression among abstinent alcoholics. *J Stud Alcohol*, 49: 412–417.
- Bruy J (1998). Prescribing for drug users, 224. *Management of drug users in the community*, ed: R Robertson. Oxford University Press
- Buckley P, Thompson P, Way L, Green AI (1994). Substance abuse among patients with treatment-resistant schizophrenia: characteristics and implications for clozapine therapy. *Am J Psychiatry*;151:385–389.
- Buckley PF. (2006) Prevalence and consequences of the dual diagnosis of substance abuse and severe mental illness. *J Clin Psychiatry*. 67 Suppl 7:5–9
- Buntwal, N, Bearn J, Gossop M, Strng J (2000). Naltrexone and lofexidine combination treatment compared with conventional lofexidine for in-patient opiate detoxification. *Drug and Alcohol Dependence*, 59, 183–8.
- Butler CC, Rollnick S, Cohen D, ve ark. (1999). Motivational consulting versus brief advice for smokers in general practice: a randomized trial. *Br J Gen Pract*; 49: 611–616.
- Bühler B, Hambrecht M, Löffler W ve ark. (2002). Precipitation and Determination of the Onset and Course of Schizophrenia by Substance Abuse – a Retrospective and Prospective Study of 232 Population-Based First Illness Episodes. *Schizophrenia Res.*, 54: 243–51.

- Cacciola JS, Alterman AI, McKay JR ve ark. (2001). Psychiatric comorbidity in patients with substance use disorders: do not forget axis II disorders. *Psychiatric Ann*, 31:321-331.
- Cadman M, Bell J (1998). Doctors detected self-administering opioids in New South Wales, 1985-1994: characteristics and outcomes. *Med J Aust* 1998 Oct 19;169(8):419-21.
- Caine RM ve Ter-Bagdasarian L (2003). Early identification and management of critical incident stress. *Critical Care Nurse*. Feb;23(1):59-65.
- Carey MP, Maisto SA, Kalichman SC, ve ark. (1997). Enhancing motivation to reduce the risk of HIV infection for economically disadvantaged urban women. *J Consult Clin Psychol*; 65: 531-541.
- Carlson EB, Putnam FW (1993). An update on the Dissociative Experience Scale. *Dissociation*; 6:16-27.
- Carroll KM, Libby B, Sheehan J, Hyland N (2001). Motivational interviewing to enhance treatment initiation in substance abusers: an effectiveness study. *Am J Addict*; 10: 335-339.
- Caspari D (1999). "Cannabis and Schizophrenia: Results of a follow-up Study" *Eur Arch Psychiatry Clin Neurosci*;249(1):45-9.
- Caspi A, Moffitt TE, Cannon M ve ark. (2005). Moderation of the effect of adolescent-onset cannabis use on adult psychosis by a functional polymorphism in the catechol-O-methyltransferase gene: longitudinal evidence of a gene X environment interaction. *Biol Psychiatry*;57:1117-27.
- Cavaola AA, Lavender N (1999). Suicidal behavior in chemically dependent adolescents. *Adolescence*; 34: 735-744.
- Ceylan E, Türkcan A (2003). *Biyolojik Psikiyatri 2: Alkol ve Madde Kullanım Bozuklukları. İstanbul*
- Chen CY, Anthony JC (2003). Possible age-associated bias in reporting of clinical features of drug dependence: epidemiological evidence on adolescent-onset marijuana use. *Addiction*;98:71-82.
- Chick JE (1991). intervention for hazardous drinking in the general hospital. *Alcohol Alcohol Suppl*; 1: 477-479.
- Clemente RJ, Pantone LE, Hartley D (1991). Prevalence and correlates of cutting behavior: risk for HIV transmission. *J Am Acad Adolesc Psychiatry*; 30:735-739.
- Colby SM, Monti PM, Barnett NP ve ark. (1998). Brief motivational interviewing in a hospital setting for adolescent smoking: a preliminary study. *J Consult Clin Psychol*; 66: 574-578.
- Collins GB (1991) Drug and alcohol use and addiction among physicians. *Comprehensive Handbook of Drug and Alcohol Addiction*. NS Miller (Ed), New York. Marcel Dekker Inc, s. 947- 966.
- Conley RR, Kelly DL, Gale EA (1998). Olanzapine response in treatment-refractory schizophrenic patients with a history of substance abuse. *Schizophr Res*;33:95-101.
- Conwell Y, Duberstein PR, Cox C ve ark.(1996). Relationships of age and Axis-I diagnosis.
- Coping skills therapy for alcohol problems. US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism.
- Cornelius JR, Salloum IM, Ehler JG, ve ark. (1997). Fluoxetine in depressed alcoholics: a double blind, placebo controlled trial. *Arch Gen Psychiatry*, 54: 700-705.
- Coşkunol H (1996). Alkol kullanım bozuklukları. Ege psikiyatri süreklî yayımları: alkol madde kullanı bozuklukları kitabından. Ed: Ahmet Çelikkol.
- Coşkunol H, Bağdiken İ, Sorias S ve ark. (1995). Michigan Alkolizm Tarama Testi'nin geçerliği. *Ege Tıp Dergisi*, 1-2: 15-18
- Cottler LB, Campbell W, Krishna VAS ve ark. (2005). Predictors of high rates of suicidal ideation among drug users. *J Nerv Ment Dis* 2005; 193: 431-437.
- Crouch BI, Caravati EM, Booth J (2004). Trends in child and teen nonprescription drug abuse reported to a regional poison control center. *Am J Health Syst Pharm*. Jun 15;61(12):1252-7.
- Csernansky JG, Mahmoud R, Brenner R (2002). A comparison of risperidone and haloperidol for the prevention of relapse in patients with schizophrenia. *N Engl J Med*;346:16-22.
- Csboth CT, Birkas E ve Purebl G (2003). Physical and sexual abuse: risk factors for substance use among young Hungarian women. *Behavioral Medicine*, 28: 165-171.
- Cunningham G M (1997) Alcohol misuse among doctors. *BMJ*, 314: 1833

- Curran HV ve Trivil RA (1997). Mood and cognitive effects of +/- 3,4- methylenedioxyamphetamine (MDMA, "ecstasy"): week-end "high" followed by m,d-week low. *Addiction*, 92:821- 831.
- Çakmak D, Evren C (2006). Alkol ve madde kullanım bozuklukları. *Özgül matbaacılık*. İstanbul
- D'Amico, E.J. & Fromme, K. (2002) Brief Prevention For Adolescent Risk-Taking Behavior, *Addiction*, 97, 563–574
- Daeppen, J., Bertholet, N., Gmel, G. & Gaume, J. (2007) Communication During Brief Intervention, Intention to Change, and Outcome. *Substance Abuse*, 28, 3, 43-51.
- Darke S, Ross J (2001). The relationship between suicide and overdose among methadone maintenance patients in Sydney, Australia. *Addiction*; 96:1443-1453.
- Darke S, Ross J (2002). Suicide among heroin users: rates, risk factors and methods. *Addiction*; 97:1383-1394.
- Davis JM, Chen N, Glick ID (2003). A meta-analysis of the efficacy of second-generation antipsychotics. *Arch Gen Psychiatry*;60:553–564.
- Deep A L, Lilienfeld LR, Plotnicov KH, Pollice C ve Kaye WH (1999). Sexual abuse in eating disorder subtypes and control women: the role of comorbid substance dependence in bulimia nervosa. *International Journal of Eating Disorders*, 25(1): 1-10.
- Demir Ç (1999).HIV, AIDS ve madde kullanımı. Uzmanlık Tezi. İstanbul
- Demir U (2006). Sigara Bağımlılığı ve Sigarayı Bırakma Tedavileri. *Astım Allerji İmmünoloji*;4(3):135-138.
- Demirbaş H, İlhan İ, Doğan Y. B ve ark. (2003).Bağımlılık Şiddetini Belirleme Ölçeğinin Geçerlilik-Güvenilirlik çalışması, Ankara Ün.Tıp.F. Psikiyatri Kliniği Doktora Tezi.
- Deykin EY ve Buka SL (1997). Prevalence and risk factors for posttraumatic stress disorder among chemically dependent adolescents. *American Journal of Psychiatry*, 154, 752-757.
- Dhossche DM, Meloukheia AM, Chakravorty S (2000). The association of suicide attempts and comorbid depression and substance abuse in psychiatric consultation patients. *Gen*
- Dilbaz N (1998) Alkol ve alkol dışı madde bağımlılığının farmakolojik tedavisi. Alkol ve alkol dışı madde bağımlılığı kitabından. Ed: Dilbaz N.
- Dilbaz N, Aytakin Y (2003). Alkol bağımlılarında intihar düşüncesi, davranışı ve niyeti, *Bağımlılık Dergisi*, 4: 1-9.
- Dilorio C, Resnicow K,McDonnell M, ve ark. (2003). Using motivational interviewing to promote adherence to antiretroviral medications: a pilot study. *J Assoc Nurses AIDS Care*; 14: 52–62.
- Domínguez N (2004). Cannabis and Psychiatric Pathology: An Update, , *The Journal of Applied Research*. 4, No. 1.
- Drake RE, Brunette MF (1998). Complications of severe mental illness related to alcohol and drug use disorders. *Recent Dev Alcohol*;14:285–299.
- Drake RE, Xie H, McHugo GJ, Green AI (2000). The effects of clozapine on alcohol and drug use disorders among patients with schizophrenia. *Schizophr Bull*;26:441–449.
- Drug addiction and AIDS: Human rights and deviancy. UNESCO symposium record, 1994.
- Drugs Policy in Netherlands (1997). Continuity and change, S:28.
- DSM – IV: Mental Bozuklukların Tanısal ve Sayımsal El Kitabı (2001). Hekimler Yayın Birliği, İstanbul.
- Dumas P, Saoud M, Bouafia S ve ark. (2002). Cannabis use correlates with schizotypal personality traits in healthy students. *Psychiatr Res*.;109:27-35.
- Dunn GE, Paolo AM, Ryan JJ, Van Fleet J (1993). Dissociative symptoms in a substance abuse population. *Am J Psychiatry* 1;150:1043-1047.
- Dunn GE, Ryan JJ, Paolo AM, Van Fleet JN (1995). Comorbidity of dissociative disorders among patients with substance use disorders. *Psychiatr Serv*;46:153-156.
- Durman R, Tecimer C, Durmaz B, ve ark. (1992). Malatya'da değişik risk gruplarında Anti-HCV pozitifliği. *İnfeksiyon Dergisi*; 6: 247-257.

- Edwards, A. G. K. & Rollnick, S. (1997) Outcome Studies Of Brief Intervention In General Practice: The Problem Of Lost Subjects, *Addiction*, 92, 12, 1699-1704.
- Ehrenreich H, Rinn T, Kunert HJ ve ark. (1999). Specific attentional dysfunction in adults following early start of cannabis use. *Psychopharmacology (Berl)*;142:295-301.
- Eken B, Evren EC, Saatçioğlu Ö ve ark. (2003). Alkol bağımlılarında kişilik bozukluğunun sosyodemografik özellikler, depresyon ve anksiyete ile ilişkisi. *Düşünen Adam*, 16:71-79.
- Ekici G, Savaş H, Çıtak S (2001). Tamamlanmış intihar olgularında alkol madde kullanım öyküsünün rolü. *Bağımlılık Dergisi* 2001; 2: 113-116.
- Ellason JW, Ross CA (1997). Two-year follow-up of inpatients with dissociative identity disorder. *Am J Psychiatry*;154:832-9.
- Ellason JW, Ross CA, Fuchs DL (1996). Lifetime axis I and II comorbidity and childhood trauma history in dissociative identity disorder. *Psychiatry*;59(3):255-66.
- Epstein JN, Saunders BE, Kilpatrick DG ve Resnick HS (1998). PTSD as a mediator between childhood rape and alcohol use in adult women. *Child Abuse Neglect*, 22: 223-234.
- Erdoğan NE, Z A (2006). Kronik Alkol Kullanımına Bağlı Uzamış Yoksunluk Sendromu: Bir Olgu Sunumu *Bağımlılık Dergisi*; 7(2):98-103.
- Ergil D (1993). Profile of drug addiction and resistance in Turkey, UN report, Ankara
- Evans C, Lacey JH (1992). "Multiple self-damaging behaviour among alcoholics women a prevalence study", *Br J Psychiatry*, 151: 1305-1311.
- Evren C (2004). Alkol/Madde Kullanım Bozukluğunda Kişilik Bozukluğu Ek Tanısı: Bir Gözden Geçirme. *Klinik Psikiyatri*;7:111-119.
- Evren C ve Evren B (2006). The relationship of suicide attempt history with childhood abuse and neglect, alexithymia and temperament and character dimensions of personality in substance dependents. *Nord J Psychiatry Vol*, 60(4): 263-269.
- Evren C, Evren B, Ögel K, ve ark. (2001). Madde kullanımı nedeni ile yatarak tedavi görenlerde intihar girişimi öyküsü. *Klinik Psikiyatri*;4:232-240.
- Evren C, Ögel K, Tamar D ve Çakmak D (2001) . Uçucu madde kullanıcılarının özellikleri. *Bağımlılık Dergisi*, 2(2), 57-60.
- Evren C, Şar V, Karadağ F, Tamar GÜrol D, Karagöz M (2007). Dissociative disorders among alcohol-dependent inpatients. *Psychiatry Res*;152(2-3):233-41. Epub 2007 Apr 25
- Evren CE (2004). Alkol/Madde Kullanım Bozukluğunda Kişilik Bozukluğu Ek Tanısı: Bir Gözden Geçirme *Klinik Psikiyatri*, 7:111-119.
- Evren CE, Tamar D, Babayağmur B, Çakmak D (2000). Opioid bağımlılığının tedavisinde buprenorfin: Metadonla karşılaştırma çalışmaları. *Klinik Psikofarmakoloji Bülteni*, Cilt:10, Sayı:4; s:205-212.
- Evren EC, Ögel K, Çakmak D (2002). Esrar ve meperidin (Petidin) kullanım bozukluğu nedeni ile yatarak tedavi gören hastaların özelliklerinin karşılaştırılması *Anadolu Psikiyatri Dergisi* 3(1):20-27.
- Evren EC, Tamar D, Babayağmur B, Cakmak D (2000). Opioid Bağımlılığının Tedavisinde Buprenorfin: Metadonla Karşılaştırma Çalışmaları. *Klinik Psikofarmakoloji Bulteni*, Cilt: 10, Sayı: 4.
- Favazza AR (1992) "Repetitive self-mutilation", *Psychiatric Anal*, 22(2);60-63.
- Favazza AR (1996). "Bodies under siege", İkinci baskı, Baltimore Press, John Hopkins University.
- Favazza AR, Conterio K (1989). "Female habitual self-mutilators", *Acta Psychiatr Scand* , 79:283-289.
- Favazza AR., Rosenthal RJ (1993). "Diagnostic issues in self mutilation", *Hosp Community Psychiatry* , 44:134-140.
- Feldman MD (1988). "The challenge of self-mutilation:a review", *Compr Psychiatry*, 29:252-69.
- Fergusson DM ve Horwood L J (1998). Early conduct problems and later life opportunities. *Journal of Child Psychology and Psychiatry*, 39, 1097-1108.
- Fergusson DM, Horwood LJ ve Nicola SC (2002). Cannabis use and psychosocial adjustment in adolescence and young adulthood. *Addiction*. 97(9):1123-1135.

- Fischer G, Johnson RE, Eder H ve ark. (2000). Treatment of Opioid-Dependent Pregnant Women With Buprenorphine Addiction;95:239-244.
- Flaherty JA, Richman JA (1993) Substance use and addiction among medical students, residents and physicians. *Psychiatr Clin North Am*, 16: 189-197.
- Fleming, M. F., Barry, K. L., Manwell, L. B., Jhonson, K. & London, R. (1997) Brief Advice Reduced Drinking In Nondependent Problem Drinkers. *Evidence-Based Medicine*, 2, 277, 1039-45.
- Fleming MF, Manwell LB, Barry KL ve ark. (1999). Brief physician advice for alcohol problems in older adults: a randomised communitybased trial. *J Fam Pract*; 48: 378–384.
- Foundation J, Griffiths P, Farrell M (1999). Benzodiazepines in polydrug using reportaires: the impact of decreased availability of temazepam capsules. *Drugs: Education, Prevention and Policy*. 6, 61-9.
- Fowler G (1997). The Tobacco Epidemic. In: Bollijer CT, Fagerström K (eds). *Prog Respir Res*;28:167.
- Friedman MJ (1990). Interrelationships between biological mechanisms and pharmacotherapy of posttraumatic stress disorder. In ME Wolf & AD Mosnaim (eds). *Posttraumatic Stress Disorder: Etiology, Phenomenology and Treatment*.
- Funk RR, McDermeit M, Godley SH ve Adams L (2003). Maltreatment issues by level of adolescent substance abuse treatment: The extent of the problem at intake and relationship to early outcomes. *Child Maltreatment: Journal of the American Professional Society on the Abuse of Children*, 8, 36-45.
- Winger G, Hofman F, Woods J. (1992). A handbook on drug and alcohol abuse. The biomedical aspects. Oxford University Pres.
- Galanter M (1989). Psychoactive Substance Use Disorders (Alcohol). *Treatments of psychiatric disorders*, (ed:) Karasu TB, APA , s:1063-1065.
- Galanter M, Kleber H (1994). *Textbook of substance abuse treatment.*, The American Psychiatric Press, Washington DC.
- Galanter M, Talbott D, Gallegos K, ve ark. (1990) Combined alcoholics anonymous and professional care for addicted physicians. *Am J Psychiatry*, 147: 64-68.
- Garbutt JC, West SL, Carey TS, Lohr KN (1999). Pharmacological treatment of alcohol dependence: a review of the evidence. *Crews FT.JAMA*,14;281(14):1318-1325.
- Gawin F, RiordanC ve Kleber H (1985). Methylphenidate treatment of cocaine abusers without attention deficit disorder: A negative report. *American Journal of Drug and Alcohol Abuse* 11(3-4):193-197.
- Geller B, Cooper TB, Sun K, Zimmerman B, Frazier J, Williams M, Heath J. (1998) Double-blind and placebo-controlled study of lithium for adolescent bipolar disorders with secondary substance abuse. *J Am Acad Child Adolesc Psychiatry* 37:171–178
- Gerstein D (1990). *Treating Drug Problems*, s: 107, National Academy Press.
- Ghosh H (2005). *Drugs and addictive behaviour. A guide to treatment.* Cambridge University Press. Cambridge
- Ghosh CT, Victor BS, Bourgeois JA (2003). Suicide in *Textbook of Clinical Psychiatry*, 4th edition. Ed by haless RE, Yudofsky SC. The American Psychiatric Publishing, Washington DC; 1457-1483.
- Gittelman R, Mannuzza S, Shenker R ve ark. (1985) Hyperactive boys almost grown up, I: psychiatric status. *Arch Gen Psychiatry*.;42:937-947.
- Goeders NE. (1997) A neuroendocrine role in cocaine reinforcement. *Psychoneuroendocrinology* 22:237–259
- Goldney RD, Lester D (1997). “Ethology and self- injury”, *Br J Psychiatry*, 170:192-193.
- Gossop M (2003). *Drug addiction and its treatment. Withdrawal and detoxification.* 115-137, Oxford University Pres.
- Gourevitch MN (1998). Patient assessment, , *Management of drug users in the community*, ed: R Robertson. Oxford University Press, 206-212.
- Grace MC, Green BL, Lindy JD ve Leonard AC (1993). The Buffalo Creek disaster: a 14 year follow-up. In JP Wilson & B Raphael (Eds), *International Handbook of Traumatic Stress Syndromes*. New York: Plenum Press.

- Green A (1993). Childhood sexual and physical abuse. In JP Wilson & B Raphael (Eds), *International Handbook of Traumatic Stress Syndromes*. New York: Plenum Press.
- Green AI, Burgess ES, Dawson R, Zimmet SV, Strous RD (2003). Alcohol and cannabis use in schizophrenia: effects of clozapine vs risperidone. *Schizophr Res*;60:81–85.
- Green AI, Tohen MF, Hamer RM, Strakowski SM, Lieberman JA, Glick I, Clark WS (2004). HGDH Research Group. First episode schizophrenia-related psychosis and substance use disorders: acute response to olanzapine and haloperidol. *Schizophr Res*.(2–3):125–35.
- Green AI, Zimmet SV, Strous RD, Schildkraut JJ (1999). Clozapine for comorbid substance use disorder and schizophrenia: do patients with schizophrenia have a reward-deficiency syndrome that can be ameliorated by clozapine? *Harv Rev Psychiatry*;6:287–296.
- Gupta S, Hendricks S, Kenkel AM ve ark. (1996). Relapse in schizophrenia: is there a relationship to substance abuse? *Schizophr Res*; 20:153–156.
- Gürkaynak M (1998). İntravenöz madde kullanıcılarında risk alma davranışları ve HIV riski ile ilgili bilgi ve tutum. *Uzmanlık tezi, İstanbul*
- Hall W, Degenhardt L, Teesson M (2004). Cannabis use and psychotic disorders: an update. *Drug Alcohol Rev* 23:433-43.
- Hall W, Solowji N, Lemon J (1994). The health and psychological consequences of Cannabis use. *National Drug Strategy Monograph Series no 25*. Canberra: Australia Government Publishing Service.
- Hambrecht M (1999). Cannabis, vulnerability and the onset of schizophrenia: An epidemiological perspective. Presented at the Inaugural Cannabis and Psychosis Conference; Melbourne, Australia.
- Hambrecht M, Hafner H (1996). Substance abuse and the onset of schizophrenia. *Biol Psychiatry*;40:1155.
- Handmaker NS, Miller WR, Manicke M (1999). Findings of a pilot study of motivational interviewing with pregnant drinkers. *J Stud Alcohol*; 60: 285–287.
- Harris EC, Barraclough B (1997). Suicide as an outcome for mental disorders. *Br J Psychiatry*, 1997; 38: 202-212.
- Heather N, Robertson I, (1986). *Controlled drinking*. Londra, Methuen
- Heather, N (1995). *Treatment approaches to alcohol problems*. WHO.
- Heather, N. (2003) *Brief Alcohol Interventions Have Expanded İn Range But How They Work İs Still Mysterious*, *Addiction*, 98, 1025–1026
- Heidbreder C, Opsomer L, Durbin P, De Witte P, Gewiss M (1991). Acamprosate and diazepam differentially modulate alcohol-induced behavioural and cortical alterations in rats following chronic inhalation of ethanol vapour. *Alcohol Alcohol*;26(2):129-137.
- Henquet C, Krabbendam L, Spauwen J ve ark. (2004). Prospective Cohort Study of Cannabis Use, Predisposition for Psychosis, and Psychotic Symptoms in Young People. *BMJ*, 330(7481): 11.
- Henquet C, Krabbendam L, Spauwen J, Kaplan C, Lieb R ve ark. (2005). Prospective cohort study of cannabis use, predisposition for psychosis, and psychotic symptoms in young people. *BMJ*, 330:11.
- Herpetz S (1995). “Self-injurious behavior: psychopathological and nosological characteristics in subtypes of self-injurers”, *Acta Psychiatr Scand*, 91:57-68.
- Hesselbrock MN, Meyer RE, Keener JJ (1985). Psychopathology in hospitalized alcoholics. *Arch Gen Psychiatry*, 42:1050-1055.
- HIV Epidemiology in Corrections Corrections Curriculum Development: Module 1, Albany Medical College, Division of HIV Medicine
- Hodgson, R. & John, B (2004) *Gender, Gender Role And Brief Alcohol Interventions*, *Addiction*, 99, 3–4
- Huestegge L, Radach R, Kunert H (2004). Effects of long-term cannabis consumption with early age of onset on oculomotor control and visual information processing [lecture]. 2004 Symposium on the Cannabinoids; Paestum (Italy).
- Hughes PH, Brandenburg N, Baldwin DC Jr, ve ark. (1992) Prevalence of substance use among U.S. physicians. *JAMA* 267:2333-2339.
- Hulse, G. K. & Tait, R. J. (2003) *Five-Year Outcomes Of A Brief Alcohol Intervention For Adult İn-Patients With Psychiatric Disorders*, *Addiction*, 98, 1061-1068.

- Iguchi, M.Y.; Belding, M.A.; Morral, A.R.; Lamb, R.J.; Husband, S.D. . Reinforcing operants other than abstinence in drug abuse treatment: An effective alternative for reducing drug use. *Journal of Consulting and Clinical Psychology*. 65(3):421-428. :1997.
- Berg IK, ve Reuss NH (1998). Solutions step by step. A substance abuse treatment manual. WW Norton Company,
- Inciardi JA, Surratt HL (1998). Children in the streets of Brazil: drug use, crime, violence, and HIV risks. *Subst Use Misuse*; 33:1461-1480.
- Ingold FR (1994). Reducing the risks. Drug addiction and AIDS: Human rights and deviancy. UNESCO symposium record, . S: 199.
- İçişleri Bakanlığı, Emniyet Genel Müdürlüğü, Kaçakçılık ve Organize Suçlarla Mücadele Daire Başkanlığı (1998). Uyuşturucu Madde olaylarının Genel Değerlendirmesi, Ankara.
- İnanlı İÇ, Eren İ (2007). Alkol Bağımlılığının Nörobiyolojisi ve Uzun Dönem İlaç Tedavisinde Yenilikler. *Psikiyatride Derlemeler, Olgular ve Varsayımlar (RCHP)* 1(2):17-28.
- İnce A, Dođruer Z, Türkçapar MH (2002). Erken ve geç başlangıçlı erkek alkol bağımlılarında sosyodemografik, klinik ve psikopatolojik özelliklerin karşılaştırılması. *Klinik Psikiyatri*, 5:82-91.
- İncesu C (1993). Alkol bağımlılarında tabloya eşlik eden mizaç, anksiyete ve kişilik bozuklukları. *Uzmanlık Tezi*, T.C Sağlık Bakanlığı Bakırköy Ruh ve Sinir Hastalıkları Hastanesi, İstanbul.
- Jacobsen LK, Mencl WE, Westerveld M ve ark. (2004). Impact of cannabis use on brain function in adolescents. *Ann N Y Acad Sci*;1021: 384-90.
- Jaffe L (2002) . In-patient treatment of substance abuse. *International Journal of Psycho-Analysis*, 83: 253-256.
- Janicak PG, Davis JM, Preskorn SH, Ayd FJ (1998). Principles and practice of psychopharmacotherapy. Maryland: Williams and Wilkins, 288-289.
- Janis IL (1982). Stress, attitudes and decisions. New York: Praeger
- Jarvis TJ, Copeland J ve Walton,L (1998) . Exploring the nature of the relationship between child sexual abuse and substance use among women. *Addiction*, 93(6): 865-875.
- Jelly S (1995). Harm Reduction. World Health Organization, Mental Health and Program of Substance Abuse Division.
- Johnson B, Ruiz P, Galanter M (2003). Handbook of Clinical Alcoholism Treatment. Lippincot Wiliams & Wilkins, Baltimore.
- Johnsson E, Fridell M (1997). Suicide attempts in a cohort of drug abusers: A 5-year follow-up study. *Acta Psychiatr Scand*; 96: 362-366.
- Johnston C (1998). The impact of attention-deficit/hyperactivity disorder on social and vocational functioning in adults. Program and abstracts of NIH Consensus Development Conference on Diagnosis and Treatment of ADHD, Los Angeles, California.
- Kalyoncu A, Mirsal H, Şatır T (2000). Opiat bağımlılığında antagonist tedavi. *Bağımlılık Dergisi*;1(1):43-49.
- Kaplan HI, Sadock BJ, Grebb JA (1994). Psychoactive substance use disorders. *Comprehensive Textbook of Psychiatry*. Baltimore,.
- Karadağ F, Şar V, Tamar-Gürol D, Evren C, Karagöz M, Erkıran M (2005). Dissociative disorders among inpatients with drug or alcohol dependency. *J Clin Psychiatry*;66:1247-1253.
- Karalı A, Ögel K, Tamar D, Çakmak D (1999). Alkol ve madde kullanım bozuklukları acil yaklaşım kılavuzu. AMATEM, Özgül Matbaacılık.
- Karamustafalođlu O, Ağarğün YM, Bozkan N (1991). İntravenöz madde kullananlarda AIDS korkusu ve risk davranışı. *Düşünen Adam*. 4, 2: 40-42
- Kaufman E (1991). Psychotherapy of dually diagnosed patients. Miller N(ed) *Comprehensive handbook of drug and alcohol addiction*. New York; Marcel Dekker inc. 681-693.
- Keck PE Jr, McElroy SL, Strakowski SM, Balistreri TM, Kizer DL, and WestSA. (1996) Factors associated with maintenance antipsychotic treatment of patients with bipolar disorder. *J Clin Psychiatry* 57:147-151

- Kempel P, Lampe K, Parnefjord R ve ark. (2003). Auditory-evoked potentials and selective attention: different ways of information processing in cannabis users and controls. *Neuropsychobiology*;48:95-101.
- Kessler RC, McGonagle KA (1994). Lifetime and 12 month prevalence of DSM III R psychiatric disorders in the United States.: Results from the national comorbidity study. *Arch Gen Psychiatry*, 51: 8-19.
- Khantzian EJ (1985) The injured self, addiction and our call to medicine: understanding and managing addicted physicians. *JAMA*, 254: 249-256.
- Kısa C, Yıldırım SG, Göka E (2005). Ataklık ve Ruhsal Bozukluklar. *Türk Psikiyatri Dergisi* 16(1):46-54.
- Kiev A (1970). New directions for suicide preventions centers. *Am J Psychiatry*; 127: 87-88.
- Kilpatrick DG, Acierno R, Saunders BE, Resnick HS, Best CL, Schnurr PP (2000). Risk factors for adolescent abuse and dependence. *Journal of Consulting and Clinical Psychology*, 68(1): 19-30.
- Kilpatrick DG, Ruggiero KJ, Acierno R, Saunders BE, Resnick HS ve Best CL (2003). Violence and risk of PTSD, major depression, substance abuse/dependence, and comorbidity: Results from the National Survey of Adolescents. *Journal of Consulting and Clinical Psychology*, 71, 692-700.
- Kleber HD (1989). Psychoactive Substance Use Disorders (Not Alcohol). *Treatments of psychiatric disorders*, (ed:) Karasu TB, APA, , s:1183-1191.
- Kluft R(1996).Treating the traumatic memories of patients with dissociative identity disorder. *Am J Psychiatry*;153 (7 Suppl):103-10.
- Knight, J.R., Harris, S.K., Sherritt, L., Hook, S.V., Lawrence, N., Brooks, T., Carey, P., Kossack, R., Kulig, J., (2007) Adolescents' Preferences for Substance Abuse Screening in Primary Care Practice. *Substance Abuse*, 28, 4, 107-117.
- Kokkevi A, Politikou K, Stefanis C (1997). The relationship of suicide attempts to licit and illicit drug use. *AJ Botsis*, CR
- Kokkevi A, Stefanis N, Anastasopoulou E ve ark. (1998). Personality disorders in drug abusers: prevalence and their association with AXIS I disorders as predictors of treatment retention. *Addict Behav*, 23:841-853.
- Kolodner G, Frances R(1993). Recognizing dissociative disorders in patients with chemical dependency. *Hosp Community Psychiatry*; 44:1041-3.
- Konuk E, Yüksek H, Eke İ. (2000). Travmaya Müdahale Eğitim Notları, Yayınlanmamış Metin.
- Koyuncu A, Mırsal H, Yavuz MF ve ark (2003). Eroin bağımlılarında intihar düşüncesi, planı ve girişimi. *Bağımlılık Dergisi* 2003;4:101-104.
- Köroğlu E (2001). DSM-IV Tamı Ölçütleri. Hekimler Yayınlar Birliği, Ankara
- Kraemer KL, Mayo-Smith MF, Calkins DR (2003). Independent clinical correlates of severe alcohol withdrawal. *Subst Abus. Dec*;24(4):197-209.
- Kraemer, K.L. (2007) The Cost-Effectiveness and Cost-Benefit of Screening and Brief Unhealthy Alcohol Use in Medical Settings. *Substance Abuse*, 28, 3, 67-77.
- Krager D (1986). Study of deaths related to drug abuse in France and Europe. *Narcotics Bulletin*, vol XXXVIII,
- Krausz M (1994). Development of risk reduction strategies among drug addicts in Germany. *Drug addiction and AIDS: Human rights and deviancy*, UNESCO symposium record S: 223.
- Kravis NM, Weiss CJ, Perry SW (1989). Drug and Alcohol Addiction and AIDS, *Comprehensive Handbook of Drug and Alcohol Addiction*, Norman S. Miller, 891-901.
- Kuchipudi V, Hobein K, Flickinger A, Iber FL. (1990). Failure of a 2-hour motivational intervention to alter recurrent drinking behavior in alcoholics with gastrointestinal disease. *J Stud Alcohol*; 51:356-360.
- Kural S (2003). Alkol/madde bağımlılarında PTSD, çocukluk çağı travma yüküsü ve II. Eksen ek tanıların yaygınlığı ve aralarındaki ilişki. Uzmanlık tezi. Bakırköy Ruh Sağlığı ve Sinir Hastalıkları Eğitim ve Araştırma Hastanesi, İstanbul.
- Kuru L (1997). Bir süreç olarak madde bağımlılığı, uzmanlık tezi, İstanbul
- Kypri, K., Saunders, J.B., Williams, S.M., Mcgee, R.O., Langley, J.D., Cashell-Smith, M.L. & Gallagher, S.J. (2004) Web-based screening and brief intervention for hazardous drinking: a double-blind randomized controlled trial, *Addiction*, 99, 1410-1417

- Lacey JH (1993). "Self-damaging and addictive behaviour in bulimia nervosa. A Catchment Area Study", *Br J Psychiatry*, 163: 190-194.
- Lahad M ve Cohen A (1998). 18 Years of Community Stress Prevention, *Community Stress Prevention*, Vol: 3.
- Lambert N ve Hartsough C (1998). *Journal of Learning Disabilities* 31(6) pp. 533-544.
- Larimer, Mary E., A.P. Turner, B.K. Anderson, Jonathan S. Fader, J.R. Kilmer, R.S. Palmer, and Jessica M. Cronce. 2001. "Evaluating a Brief Alcohol Intervention With Fraternities." *Journal of Studies on Alcohol* 62(3):370-80.
- LeDuc PA, Mittleman G. (1995) Schizophrenia and psychostimulant abuse: a review and re-analysis of clinical evidence. *Psychopharmacology (Berlin)* 121:407-427
- Lester SJ, Baggot M, Welms S ve ark. (2000). Cardiovascular effects of 3,4-methylenedioxymethamphetamine. A double-blind, placebo-controlled trial. *Ann Intern Med*, 133:969-973.
- Levin FR, Evans SM, McDowell DM ve Kleber HD (1998). Methylphenidate treatment for cocaine abusers with adult attention-deficit/hyperactivity disorder: A pilot study. *Journal of Clinical Psychiatry* 59(6):300-305.
- Levin FR, Gunderson EW, Levounis P (2004). *Medical Education*. Galanter M, Kleber H (ed) *Textbook of Substance Abuse Treatment*, 3rd Ed., Washington D.C.; American Psychiatric Press, 597-609.
- Lewanowitsch T, Miller JH, Irvine RJ (2005). Reversal of morphine, methadone and heroin induced effects in mice by naloxone methiodide. *Life Sci*.
- Lieberman JA, Stroup TS, McEvoy JP, JP, Swartz MS, Rosenheck RA, Perkins DO, Keefe RS, Davis SM, Davis CE (2005). Effectiveness of antipsychotic drugs in patients with chronic schizophrenia: Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) Investigators. *N Engl J Med*;353:1209-1223.
- Lincourt P, Kuettel TJ, Bombardier CH (2002). Motivational interviewing in a group setting with mandated clients: a pilot study. *Addict Behav*; 27: 381-391.
- Littleton J (1995). Acamprosate in alcohol dependence: how does it work? *Addiction*, 90(9):1179-1188.
- Littrell KH, Petty RG, Hilligoss NM, Peabody CD, Johnson CG (2001). Olanzapine treatment for patients with schizophrenia and substance abuse. *J Subst Abuse Treat*;21:217-221.
- Mackesy-Amiti ME, Fendrich M (1999). Inhalant use and delinquent behavior among adolescents: a comparison of inhalant users and other drug users. *Addiction*;94:555-564.
- Maisto SA, Conigliaro J, McNeil M ve ark. (2001). Effects of two types of brief intervention and readiness to change on alcohol use in hazardous drinkers. *J Stud Alcohol*; 62: 605-614.
- Malcolm R, Myrick H, Brady K, Ballenger J (2001). Update on Convulsants For The Treatment Of Alcohol Withdrawal. *Am J Addict* 10 (suppl): 16-23.
- Mannuzza S, Gittelman Klein R, Bonagura N ve ark. (1991). Hyperactive boys almost grown up, V: replication of psychiatric status. *Arch Gen Psychiatry*.;48:77-83.
- Marcou A, Kosten TR, Koob GF (1998). Neurobiological similarities in depression and drug dependence: a self medication hypothesis. *Neuropsychopharmacology*; 18:135-174.
- Marcus P, Snyder R (1995). Reduction of comorbid substance abuse with clozapine. *Am J Psychiatry*;152:959.
- Marlatt, G. Alan, John S. Baer, Daniel R. Kivlahan, Linda A. Dimeff, Mary E. Larimer, Lori A. Quigley, Julian M. Somers, and Ellen Williams. 1998. "Screening and Brief Intervention for High-Risk College Student Drinkers: Results From a 2-Year Follow-Up Assessment." *Journal of Consulting and Clinical Psychology* 66(4):604-15.
- Marsden, J., Stillwell, G., Barlow, H., Boys, A., Taylor, C., Hunt, N., & Farrell, M. (2006) An evaluation of a brief motivational intervention among young ecstasy and cocaine users: no effect on substance and alcohol use outcomes, *Addiction*, 101, 1014-1026
- Martinez-Raga J, Keaney F, Marshall E J, Ball D, Best D ve Strang J (2002) . Positive or negative history of childhood sexual abuse among problem drinkers: Relationship to substance use disorders and psychiatric co-morbidity. *Journal of Substance Use*, 7(1): 34-40.

- Mathias R (1999). "Ecstasy" damages the brain and impairs memory in humans. National Institute on Drug Abuse, NIDA Notes, 14.
- Mathias R (2000a). Methamphetamine brain damage in mice more extensive than previously thought. National Institute on Drug Abuse, NIDA Notes, 15.
- Mathias R (2000b). NIDA pursues many approaches to reversing Methamphetamine's neurotoxic effects. National Institute on Drug Abuse, NIDA Notes, 15.
- Mathias R ve Zickler P (2001). NIDA conference highlights scientific findings on MDMA/Ecstasy. National Institute on Drug Abuse, NIDA Notes, 16.
- Matsakis A (1994). Post traumatic Stress Disorder: A complete Treatment Guide. Oakland, California: New harbinger Publications.
- Mc Dowell DM, Clodfelter RC (2001). Depression and substance abuse: Considerations of etiology, comorbidity, evaluation and treatment. *Psychiatric Annals*, (4): 244-251.
- McEvoy JP, Freudenreich O, Levin ED, Rose JE (1995). Haloperidol increases smoking in patients with schizophrenia. *Psychopharmacology (Berl)*;119:124-126.
- Medical and Chirurgical Faculty of Maryland (1993). Substance abuse education for primary care physicians, An overview of treating the substance abusing patient: A self study guide.
- Meichenbaum D (1994). *A Clinical Handbook/Practical Therapist Manual for Assessing and Treating Adults with Post-Traumatic Stress Disorder*, Institute Press.
- Meltzer HY, Alphas L, Green AI, Altamura AC, Anand R, Bertoldi A, Bourgeois M, Chouinard G, Islam MZ, Kane J, Krishnan R, Lindenmayer JP, Potkin S (2003). International Suicide Prevention Trial Study Group. Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT). *Arch Gen Psychiatry*;60:82-91.
- Mercer DE, Woody GE (1999). Individual drug counseling approach to treat cocaine addiction. US department of health and human sciences.
- Merikangas KA, Stevens D, Fenton B (1996). Comorbidity of alcoholism and anxiety disorders. *Alcohol Health Res World*, 20:100-105.
- Merikangas KR, Herrell R, Swendsen J, Rössler W, Ajdacic-Gross V, Angst J (2008) Specificity of bipolar spectrum conditions in the comorbidity of mood and substance use disorders: results from the Zurich cohort study. *Arch Gen Psychiatry*. Jan;65(1):47-52
- Mevin SM, Greene JA, O'Malley S (2000). Naltrexone and alcoholism treatment: physicians guide, TIP 28. US Department Of Health And Human Sciences.
- Mırsal H, Kalyoncu ÖA, Pektaş Ö, Tan D, Beyazyürek M (2003). Damar yolundan eroin kullananlarda hepatit B, hepatit C ve HIV yaygınlığı. *Bağımlılık Dergisi*;4(1):10-14.
- Mırsal H, Pektaş Ö, Kalyoncu A ve ark. (2001). Alkol bağımlılığında intihar davranışının araştırılması. *Bağımlılık Dergisi* 2001; 2: 21-24.
- Milkorn AT, Verlag S (1990). Chemical dependence
- Miller D (1994). "Women Who Hurt Themselves", Basic Books, New York.
- Miller N, Dekker M (1995). *Comprehensive handbook of drug and alcohol addiction.*, New York
- Miller NS (1991). *Comprehensive Handbook of Drug and Alcohol Addiction.*
- Miller WR, Benefield RG, Tonigan JS. (1993). Enhancing motivation for change in problem drinking: a controlled comparison of two therapist styles. *J Consult Clin Psychol*; 61: 455-461.
- Miller WR, Rollnick S (2002). *Motivational interviewing, preparing people to change addictive behavior.* New York: The Guildford Press.
- Miller WR, Sovereign RG, Krege B. (1988). Motivational Interviewing with problem drinkers: II. The drinker's check-up as a preventive intervention. *Behavioural Psychotherapy*; 16: 251-268.
- Miller WR, Yahne CE, Tonigan JS. (2003). Motivational interviewing in drug abuse services: a randomised trial. *J Consult Clin Psychol*; 71: 754-763.
- Mills Katherine L, Lynskey M, Teesson M, Ross J ve Darke S (2005). Post-traumatic stress disorder among people with heroin dependence in the Australian treatment outcome study (ATOS): prevalence and

correlates. *Drug and Alcohol Dependence* Volume 77, Issue 3, pg: 243-249

Moak D, Anton RF, Latham PK, Voronin KE, Waid RL, Durazo-Arvizu R (2003). Sertraline and cognitive behavioral therapy for depressed alcoholics: results of a placebo-controlled trial. *J Clin Psychopharmacology*, 23: 553-562.

Monti PM, Abrams DB, Kadden RM, Cooney NL (1989). *Treating alcohol dependence*. Guilford Press.

Monti PM, Colby SM, Barnett NP ve ark. (1999). Brief intervention for harm reduction with alcohol-positive older adolescents in a hospital emergency department. *J Consult Clin Psychol*; 67:989–994.

Mulder CL, Koopmans GT, Hengeveld MW (2005). Lack of motivation for treatment in emergency psychiatry patients. *Soc Psychiatry Psychiatr Epidemiol*, 40(6):484-8.

Murphy JG, Duchnick JJ, Vuchinich RE ve ark.(2001). Relative efficacy of a brief motivational intervention for college student drinkers. *Psychol Addict Behav*; 15: 373–379.

Murphy SL, Rounsaville BJ, Eyre S, Kleber HD (1983). Suicide attempts in treated opiate addicts. *Compr Psychiatry* 1983; 24: 79-89

Murphy, GE ,Wetzel ,RD (1990). “The lifetime risk of suicide in alcoholism” , *Arch Gen Psychiatry*; 47:383-92

Murphy, James G., Jennifer J. Duchnick, Rudy E. Vuchinich, John W. Davison, Rhonda S. Karg, Amanda M. Olson, Anna F. Smith, and Timothy T. Coffey. 2001. “Relative Efficacy of a Brief Motivational Intervention for College Student Drinkers.” *Psychology of Addictive Behaviors* 15(4):373–79.

Myrick H, Anton RF (1998). Treatment of alcohol withdrawal. *Alcohol Health Res World*.;22(1):38-43.

Najavits LM, Weiss RD, Shaw SS (1999). A clinical profile of women with post traumatic stress disorder and substance dependence. *Psychology of addictive Behaviors*, 13(2):98-104.

National Institute of Mental Health (NIMH) (2006). *Attention Deficit Hyperactivity Disorder*.

National Institute of Neurological Disorders and Stroke (NINDS/NIH) (2007). *NINDS Attention Deficit-Hyperactivity Disorder Information Page 9*.

National Institute on Drug Abuse (1997). *Drug abuse prevention: What works?*, National Institutes of Health, NIH Publication.

National Institute on Drug Abuse(1994). *Mental health assessment and diagnosis of substance abusers. Clinical report series.*, US Department of Health and Human Services, Public Health Service, National Institutes of Health, NIH Publication,

Nellisery M, Feinn RS, Covault J,Gelernter J, Anton RF, Pettinati H, Moak D, Mueller T, Kranzler HR (2003). Alleles of a functional serotonin transporter promoter polymorphism are associated with major depression in alcoholics. *Alcohol Clin Exp Res*, 27: 1402-1408.

Nixon SJ (1994). *Alcohol World*: N.3.

Noordsy DL, O'Keefe C, Mueser KT, Xie H (2001). Six-month outcomes for patients who switched to olanzapine treatment. *Psychiatr Serv*, 52:501–50.

Normand J, Vlahov D, Moses LE, eds. (1995). *Preventing HIV transmission: the role of sterile needles and bleach*. Washington (DC): National Academy Press,

Nunes E, Rubin E, Carpenter C, Hasin D. (2006) *Duygudurum bozuklukları ve madde kullanımı. Duygudurum Bozuklukları Temel Kitabı*, American Psychiatric Publishing, Editörler: D Stein, D Kupfer, A Schatzberg. Çeviri editörü T Oral, s: 653-673

Nunes EV, Levin FR (2004). Treatment of depression in patients with alcohol or other drug dependence. *JAMA*, 291(15): 1887-1896.

Nunes EV, Quitkin FM, Donovan SJ ve ark (1998). Imipramine treatment of opiate-dependent patients with depressive disorders: a placebo controlled trial. *Arch Gen Psychiatry*, 55:153-160.

Nunn JA, Rizza F, Peters E (2001). The incidence of schizotypy among cannabis and alcohol users. *J Nerv Ment Disord*.;189:741-748.

O'Boyle M, Brandon EA (1998). Suicide attempts, substance abuse, and personality. *J Subst Abuse Treat*, 15(4):353-356.

- Owen RR, Fischer EP, Booth BM, Cuffel BJ (1996). Medication noncompliance and substance abuse among patients with schizophrenia. *Psychiatr Serv*;47:853–858.
- Oyefeso A, Ghodse H, Clancy C ve ark. (1999). Suicide among drug addicts in the UK. *Br J Psychiatry*, 175:277-282.
- Ögel K (1995). Uyuşturucu maddeler ve bağımlılık, Cep Üniversitesi Yayınları
- Ögel K (1995). Uyuşturucu maddeler ve bağımlılık, Cep Üniversitesi Yayınları.
- Ögel K (1997). Uyuşturucu Maddeler ve Bağımlılık. Cep Üniversitesi, İletişim Yayınları, İstanbul
- Ögel K (2000). Madde bağımlılarına yaklaşım ve tedavi. IQ yayınları, İstanbul
- Ögel K (2000). Madde bağımlılığında tartışmalar ve gerçekler. IQ yayınları, İstanbul
- Ögel K (2000). Türkiye’de madde bağımlılığı, IQ yayınları
- Ögel K (2005). Sokaklar “Tiner” kokuyor: “Tiner”ler, “Bali”ciler ve Sokakta Yaşayan Çocuklar. Yeniden Yayınları, İstanbul.
- Ögel K (2007). Riskli davranış gösteren çocuk ve ergenler. Yeniden Yayınları, İstanbul.
- Ögel K, Aksoy A (2005). Sokakta yaşayan çocuklarda kendine zarar verme davranışı ve madde kullanımı. *Anadolu Psikiyatri Dergisi*; 6:163-169.
- Ögel K, Erdoğan N, Buğa D, Devletkuşu C, Aksoy A (2007). Madde kullanımı ve HIV/AIDS. Yeniden Yayınları, İstanbul.
- Ögel K, Erol B (2005). Çocuklarda sigara, alkol ve madde bağımlılığı: Çocuğum madde bağımlısı olmasın. Morpa yayınları, İstanbul.
- Ögel K, Karalı A, Tamar D, Çakmak D (1998). Alkol ve madde kullanım bozuklukları el kitabı. AMATEM, Özgül Matbaacılık
- Ögel K, Tamar D (1995). Türkiye’de Madde Bağımlılığı, TÜGİAD raporu.
- Ögel K, Tamar D (1996). Uyuşturucu Maddeler ve Bağımlılık Okul Eğitim Paketi, Öğrenci Anketi bulguları. AMATEM / Özel Okullar Demeği.
- Ögel K, Tamar D (1997). Uyuşturucu madde kullanımının aile üstüne etkisi, Başbakanlık Aile Araştırma Kurumu, Ankara.
- Ögel K, Tamar D, Çakmak D (1998). Hekimler için Alkol ve Madde Kullanım Bozukluklarında Acil Yaklaşım Kılavuzu, İstanbul
- Ögel K, Tamar D, Çakmak D (1998). Hekimler için Alkol ve Madde Kullanım Bozuklukları El Kitabı, İstanbul.
- Ögel K, Tamar D, Çakmak D, Bekaroğlu M, Besim T, Çakıcı M, Çoşkunol H, Evlice YE, Hızlan C, Kara H, Özkürkçügil A, Sır A, Uluğ B, Ünal S (1999). Madde Kullanıcılarının Özellikleri: Türkiye’de çok merkezli bir çalışma (İkinci aşama). *Kültegin Ögel*, 3P Dergisi, ek sayı:3.
- Ögel K, Tamar D, Çakmak D, Bekaroğlu M, Besim T, Çakıcı M, Çoşkunol H, Evlice YE, Hızlan C, Kara H, Özkürkçügil A, Sır A, Uluğ B, Ünal S (1999). Madde kullanıcılarının özelliklerinin genel değerlendirmesi. Madde kullanıcılarının özellikleri: Türkiye’de çok merkezli bir araştırma (birinci aşama)’dan ed: Ögel K. 3P dergisi.
- Ögel K, Taner S, Yılmazçetin C (2004). Ergenlerde madde kullanım bozukluklarına yaklaşım kılavuzu. IQ yayınları, İstanbul.
- Ögel K, Yücel H, Aksoy A (2004). “İstanbul’da sokakta yaşayan çocukların özellikleri”, Yeniden Bilimsel Araştırma Raporları. Yayın No:7, İstanbul.
- Öner H, Tamam L, Levent BA ve ark. (2002). Alkol bağımlılığı olan yatan hastalarda eksen I ve eksen II ektanılarının değerlendirilmesi. *Klinik Psikofarmakoloji Bülteni*, 12: 14-22.
- Özdemir F, Ersoy MA (2004). Alkol ve madde kullanım bozukluklarının sosyal anksiyete bozukluğuyla ilişkisi. *Psikiyatri Psikoloji Psikofarmakoloji (3P) Dergisi*, 12(2):133-140.
- Özden SY (1992). Uyuşturucu Madde Bağımlılığı Teşhis - Tedavi – Tedbir. Nobel Tıp Kitabevleri, İstanbul.
- Özden SY (2004). Uyuşturucu Madde Bağımlılığı. Nobel Tıp Kitabevleri, İstanbul.
- Özden SY (2005). Alkolizm sebep ve sonuçları. Nobel Tıp Kitabevleri, İstanbul.

- Özünel H (2002). Psikozlarda Madde Kullanımının Saldırganlıkla İlişkisi. Bakırköy Ruh Sağlığı ve Sinir Hastalıkları Eğitim ve Araştırma Hastanesi, Yayınlanmamış Uzmanlık Tezi, İstanbul.
- Parks, G.A. and Woodford, M.S. (2005). CHOICES About Alcohol: A Brief Alcohol
- Parrino MW (1993). State methadone treatment guidelines. U.S. Department of Health Services.
- Parrott AC (2004). Is ecstasy MDMA? A review of the proportion of ecstasy tablets containing MDMA, their dosage levels, and the changing perceptions of purity. *Psychopharmacology*, 173:234-241.
- Parrott AC, Sisk E ve Turner JJ (2000). Psychobiological problems in heavy "ecstasy" (MDMA) polydrug users. *Drug Alcohol Depend*, 60:105- 110.
- Parsons OA, Nixon SJ (1993). *Neur Clin of NA*,11: N.1.
- Perkinson RR, Jongsma AE, Wiley J ve Sons (1998). The chemical dependence treatment planner.
- Petrakis IL, O'Malley S, Rounsaville B, Poling J, McHugh-Strong C, Krystal JH (2004). Naltrexone augmentation of neuroleptic treatment in alcohol abusing patients with schizophrenia. *Psychopharmacology (Berl)*,172:291–297.
- Phillips RH, Muzaffer A (1961). "Some aspects of self-mutilation in the general population of a large psychiatric hospital", *Psychiatry*, 35: 421-423.
- Polanczyk G, de Lima MS, Horta BL, Biederman J, Rohde LA (2007)."The worldwide prevalence of ADHD: a systematic review and metaregression analysis". *Am J Psychiatry*, 164 (6): 942–48.
- Pope HG, Gruber AJ, Hudson J ve ark. (2003). Early-onset cannabis use and cognitive deficits: What is the nature of the association? *Drug Alcohol Depend*;69:303-10.
- Potkin S, Alphs L, Hsu C, Krishnan KR, Anand R, Young FK, Meltzer H, Green A (2003). InterSePT Study Group. Predicting suicidal risk in schizophrenic and schizoaffective patients in a prospective two-year trial. *Biol Psychiatry*,54:444–452.
- Pribor E ve Dinwiddie S (1992). Psychiatric correlates of incest in childhood. *Am J Psychiatry*; 149: 52-56.
- Project MATCH Research Group (1997). Matching Alcoholism Treatments to Client Heterogeneity: Project MATCH posttreatment drinking outcomes. *J Stud Alcohol*, 58 :7-29.
- Project MATCH Research Group (1998). Project MATCH secondary a priori hypotheses. *Addiction*, 92:1671-1698.
- psikososyal
- Rachman S (1980). Emotional processing. *Behavioral Research and Therapy*, 18, 51-60.
- Rachman S (1997). *Anxiety*. Psychology Press, UK.
- Raghavan C ve Kingston S (2006). Child sexual abuse and posttraumatic stress disorder: the role of age at first use of substances and lifetime traumatic events. *Journal of Traumatic Stress*, 19(2): 269-278.
- Rao S, Ziedonis D, Kosten T (1995). The pharmacotherapy of cocaine dependence. *Psychiatr Annals*, 25: 363-369.
- Regier DA, Farmer ME, Rae DS (1990). Co-morbidity of mental disorders with alcohol and other drug abuse: results from the epidemiologic catchment area (eca) study. *JAMA*, 264:2511-2518.
- Rey JM, Martin A, Krabman P (2004). Is the party over? Cannabis and juvenile psychiatric disorder: The past 10 years. *J Am Acad Child Adolesc Psychiatry*; 43:1194-205.
- Robertson JR, Bucknall ABV, Welsby PD, et al. (1986). An epidemic study of AIDS-related virus (HTLV-III/LAV) infection amongst intravenous drug abusers in a Scottish general practice. *BMJ*; 292: 527-530.
- Rollnick S, Mason P, Butler C (1999). *Health behavior change. A guide for practitioners*. Churchill Livingstone.
- Rosenbloom MJ, Pfefferbaum A, Sullivan EV (1995). *Alcohol World*:19:N. 4.
- Ross CA, Heber S, Norton GR, Anderson D, Anderson G, Burchet P(1989). The Dissociative Disorders Interview Schedule: a structured interview. *Dissociation* 1989; 2:169–189.
- Ross CA, Kronson J, Koengen S, Barkman K, Clark P, Rockman G (1992). Dissociative disorder comorbidity in 100 chemically dependent patients. *Hosp Community Psychiatry*; 43:840-842.
- Rossow I (1994). Suicide among drug addicts, *Addiction*, 89:1667-1673.

- Rossow I, Lauritzen G (2001). Shattered childhood: A key issue in suicidal behavior among drug addicts. *Addiction*, 96:227-240.
- Rotheram-Barus M J, Mahler KA, Koopman CK ve Langabeer K (1996). Sexual abuse history and associated multiple risk behavior in adolescent runaways. *American Journal of Orthopsychiatry*, 66(3): 390-400.
- Rubak S, Sandbæk A, Lauritzen T and Christensen B (2005). Motivational interviewing: a systematic review and meta-analysis. *British Journal of General Practice*.
- Rudd MD, Dahm PF, Rajab MH (1993). Diagnostic comorbidity in persons with suicidal
- Saatçioğlu Ö, Evren C, Çakmak D (2002). Alkol Kullanım Bozuklukları Tanıma testinin geçerliği ve güvenilirliği. *Türkiye’de Psikiyatri*, 2-3: 107-112.
- Saitz, R. (2007) Introduction: screening and Brief intervention. *Substance Abuse*, 28, 3, 1-2.
- Saivin S, Hulot T, Chabac S, Potgieter A, Durbin P, Houin G (1998). Clinical pharmacokinetics of acamprosate. *Clin Pharmacokinetics*;35(5):331-345.
- Salasin SE ve Rich RF (1993). Mental Health policy for victims of violence. The case against women. In JP Wilson & B Raphael (Eds), *International Handbook of Traumatic Stress Syndromes*. New York: Plenum Press.
- Salloum IM, Cornelius JR, Daley DC, Kirisci L, Himmelhoch JM, Thase ME. (2005) Efficacy of valproate maintenance in patients with bipolar disorder and alcoholism. *Arch Gen Psychiatry* 62:37–45
- Sanchez-Craig M, Davila R, Cooper G (1996). A self-help approach for high-risk drinking: effect of an initial assessment. *J Consult Clin Psychol*; 64: 694–700.
- Saunders B, Wilkinson C, Phillips M (1995). The impact of a brief motivational intervention with opiate users attending a methadone programme. *Addiction*; 90: 415–424.
- Schäfer I, Reininghaus U, Langeland W, Voss A, Zieger N, Haasen C, Karow A (2007). Dissociative symptoms in alcohol-dependent patients: associations with childhood trauma and substance abuse characteristics. *Compr Psychiatry*;48(6):539-45. Epub 2007 Aug 20
- Schifano F (2004). A bitter pill. Overview of ecstasy (MDMA, MDA) related fatalities. *Psychopharmacology (Berl)*. , 173(3-4):242-8. Epub 2003 Dec 13.
- Schmaling KB, Blume AW, Afari N. (2001). A randomised controlled pilot study of motivational interviewing to change attitudes about adherence to medications for asthma. *J Clin Psychol Med Settings*; 8: 167–172.
- Schmitz JM, Averill P, Stotts AL ve ark. (2001). Fluoxetine treatment of cocaine-dependent patients with major depressive disorder. *Drug Alcohol Depend*, 63: 207-214.
- Schnider U, Altmann A, Baumann M ve ark. (2001). Comorbid anxiety and affective disorder in alcohol-dependent patients seeking treatment. *Alcohol Alcohol* 36: 219-223.
- Schoemaker B (1995). Treatment with heroin, *Addictum*.
- Schoemaker B, (1995). Treatment with heroin, *Addictum*, 3.
- Schoenbaum (1997). Needle exchange use among a cohort of drug users. *AIDS* 10: 1729-34.
- Schuckit MA (2000). Alcohol-related disorders. In: Harold I Kaplan, Benjamin J Sadock (eds). *Kaplan & Sadock's Comprehensive Textbook of Psychiatry*. Williams & Wilkins, 953-965.
- Shuckit MA Goals of treatment. Galanter M, Kleber HD (ed) (1994). *The American Psychiatric Press Textbook of Substance Abuse Treatment*. Washington; American Psychiatric Press inc. 3-10.
- Schuh KJ, Walsh SL (1994). Effects of buprenorphine in morphine dependent subjects. *Problems of Drug abuse*. NIDA, Research Monograph Series.
- Segui J, Marquez M, Canet J, Cascio A, Garcia L, Ortiz M (2001). "Panic disorder in a Spanish sample of 89 patients with pure alcohol dependence", *Drug Alcohol Depend*, 63 (2): 117-21.
- Sellman JD, Sullivan PF, Dore GM, *et al.* (2001). A randomized controlled trial of motivational enhancement therapy (MET) for mild to moderate alcohol dependence. *J Stud Alcohol*; 62:389–396.
- Sernyak MJ, Godleski LS, Griffin RA, Mazure CM, Woods SW. (1997) Chronic neuroleptic exposure in bipolar outpatients. *J Clin Psychiatry* 58:193–195

- Seymour A, Black M, Jay J, Cooper G, Weir C, Oliver J (2003). The role of methadone in drug-related deaths in the west of Scotland. *Addiction*, 98(7):995-1002
- Shacham Y, Niv S, Lahad M (1999). Coping And Community Resources with Children Facing Disaster, *Community Stress Prevention*, Vol: 4.
- Shakeshaft, A.P., Bowman, J.A., Burrows, S., Doran, C.M. & Sanson-Fisher, R.W (2002) Community-based alcohol counselling:a randomized clinical trial, *Addiction*, 97, 1449–1463.
- Shea ST (1993). “Personality disorder and self-wounding”, *Br J Psychiatry*, 5:45-53.
- Skinstad AH, Swain A (2001). Comorbidity in a clinical sample of substance abusers. *Am J Drug Alcohol Abuse*, 27:45-64.
- Skog OJ (1991). Alcohol and suicide Durkheim revisited. *Acta Sociologica*,1991; 34, 193-206.
- Slaby AE ve Martin SD (1991). Drug and alcohol emergencies. *Comprehensive Handbook of Drug and Alcohol Addiction*, (ed) Miller NSMarcel Decker Inc, New York.
- Smelson DA, Losonczy MF, Davis CW, Kaune M, Williams J, Ziedonis D (2002). Risperidone decreases craving and relapses in individuals with schizophrenia and cocaine dependence. *Can J Psychiatry*,47:671–675.
- Smith DE, Heckemeyer CM, Kratt PP, Mason DA. (1997). Motivational interviewing to improve adherence to a behavioral weight-control program for older obese women with NIDDM. *A pilot study. Diabetes Care*; 20: 52–54.
- Sobell M, Sobell L (1993). *Problem drinkers: Guided self change treatment*. Guilford Press.
- Solowij N, Michie PT J (2007). Cannabis and cognitive dysfunction: parallels with endophenotypes of schizophrenia? *Psychiatry Neurosci*, 32(1):30-52.
- Stefanis NC, Delespaul P, Henquet C, Bakoula C, Stefanis NC ve Van OJ. (1999). Early adolescent cannabis exposure and positive and negative dimensions of psychosis *Addiction*, , 1333–1341.
- Stein MD (1997). Medical disorders in addicted patients. In: *The Principles and Practice of Addictions in Psychiatry*. Philadelphia, W.B Saunders Company: 144-154.
- Steinberg M (1994). *Structured Clinical Interview for DSM-IV Dissociative Disorders – Revised (SCID-D-R)*, Washington, DC, American Psychiatric Press.
- Steinberg, K.L.; Roffman, R.A.; Carroll, K.M.; McRee, B.; Babor, T.F.; Miller, M.; Kadden, R.; Duresky, D.; and Stephens, R. *Brief Counseling for Marijuana Dependence: A Manual for Treating Adults*. DHHS Publication No. (SMA) 05-4022. Rockville, MD: Center for Substance Abuse Treatment, Substance Abuse and Mental Health Services Administration, 2005.
- Stotts AL, DiClemente CC, Dolan-Mullen P. (2002). One-to-one: a motivational intervention for resistant pregnant smokers. *Addict Behav*; 27: 275–292.
- Stotts AL, Schmitz JM, Rhoades HM, Grabowski J. (2001). Motivational interviewing with cocaine-dependent patients: a pilot study. *J Consult Clin Psychol*; 69: 858–862.
- Strakowski SM, McElroy SL, Keck PE Jr, West SA. (1996) The effects of antecedent substance abuse on the development of first-episode psychotic mania. *Psychiatr Res. Jan-Feb*;30(1):59-68
- Swanson AJ, Pantalon MV, Cohen KR (1999).Motivational interviewing and treatment adherence among psychiatric and dually diagnosed patients. *J Nerv Ment Dis*; 187: 630–635.
- Swanson JW, Holzer CEI, Ganju VK, Jono RT (1990). Violence and psychiatric disorder in the community: evidence from the Epidemiologic Catchment Area surveys. *Hosp Community Psychiatry*,41:761–770.
- Swanson JW, Swartz MS, Borum R (2000) Involuntary out-patient commitment and reduction of violent behaviour in persons with severe mental illness. *British Journal of Psychiatry*, 176, 324-331.
- Swift R (2003). *Emergency Management of Alcohol Abuse And Dependence*
- Şahin D (2003), *Savaşın Yol Açtığı Psikolojik Yıkımlar*, Yayımlanmamış Metin.
- Şar V, Akyüz G, Kundakçı T, Kızıltan E, Doğan O (2004). Childhood trauma, dissociation, and psychiatric comorbidity in patients with conversion disorder. *Am J Psychiatry*; 161:2271-6.

- Şar V, Kundakçı T, Kızıltan E, Bakım B, Yargıç Lİ (1997). Tutkun H: Dissosiyatif Yasantılar Ölçeğinin (DES-II) Türkçe Versiyonunun Gecerlik ve Güvenilirliği. 33. Ulusal Psikiyatri Kongresi, Antalya, s: 55-64.
- Şar V, Yargıç LI, Tutkun H (2000).Dissosiyatif Yaşantılar Ölçeği.Editörler: Aydemir Ö, Köroğlu E, Psikiyatride Kullanılan Klinik Ölçekler. Hekimler Yayın Birliği, Ankara,225-230 .
- Tamar D, Ögel K, Çakmak D (1996). Uyuşturucu madde kullanımının aile üstüne etkisi, Başbakanlık Aile Araştırma Kurumu, Bilim Serisi no: 99.
- Tantam D, Whittaker J (1992) . “Personality disorder and self-wounding”, Br J Psychiatry, 161:451-64.
- Tarlacı N (1996) . B Kümesi Kişilik Bozukluklarında Self Mutilatif Davranış Özellikleri”, Uzmanlık Tezi, Bakırköy Ruh ve Sinir Hastalıkları Hastanesi, İstanbul.
- Tarlacı N, Yeşilbursa D, Türkcan S, Saatçioğlu Ö, Yaman M (1997) . “B kümesi kişilik bozukluklarında kendini yaralamanın özellikleri”, Türk Psikiyatri Dergisi, 8(1): 29-35.
- Tempesta E, Janiri L, Bignamini A, Chabac S, Potgieter A (2000). Acamprostate and relapse prevention in the treatment of alcohol dependence: a placebo-controlled study. Alcohol Alcohol;35(2):202-209.
- Terbaş Ö (1997). Opioid bağımlılığında 2,5 yıllık bir izleme çalışması: Remisyonu etkileyen faktörler, Uzmanlık tezi, İstanbul.
- Tevyaw, T. O. & Monti, P. M. (2004) Motivational enhancement and other brief interventions for adolescent substance abuse: foundations, applications and evaluations, *Addiction*, 99, 2, 63-75.
- The check-up: in-person, computerized, and telephone adaptations of motivational enhancement treatment to elicit voluntary participation by the contemplator. Denise D Walker, Roger A Roffman, Joseph F Picciano and Robert S Stephens. *Substance Abuse Treatment, Prevention, and Policy* 2007, 2:2
- Toksöz K, Coşkunol H ve Ercan ES (1998). Dikkat eksikliği hiperaktivite bozukluğu vemaadde kullanım bozukluğu. Ege Psikiyatri Sürekli Yayınları, 3, 447- 452.
- Tosun M (2000).Alkol ve Diğer Maddeler ile İlişkili Bozukluklar. İstanbul Üniversitesi Cerrahpaşa Tıp Fakültesi
- Trachtenberg A, M Fleming (1994).Diagnosis and treatment of drug abuse in family practice. Health Science Communication.
- Trezza GR, Popp SM (2000) The substance user at risk of harm to self or others: Assessment and treatment issues. *J Clin Psychol*, 56(9):1193-1205.
- Tsuang MT, Simpson JC, Kronfol Z (1982). Subtypes of drug abuse with psychosis: demographic characteristics, clinical features, and family history. *Arch Gen Psychiatry*,39:141–147.
- Tucker JA, Donovan DM, Marlatt GA (1999). Changing addictive behavior. Guilford pres.
- Tucker, T., Fry, C.L., Lintzeris, N., Baldwin, S., Ritter, A., Donath, S. & Whelan, G. (2004) Randomized controlled trial of a brief behavioural intervention for reducing hepatitis C virus risk practices among injecting drug users, *Addiction*, 99, 1157–1166
- Türkcan A, Canbek Ö (2000). Alkol bağımlılığının tedavisinde naltrekson. Türk Psikiyatri Dergisi, 11(3):220-227 .
- Türkcan A, Çakmak D (1998). Sağlık personellerinde meperidin kötüye kullanımı:Üç ölçü. :Bahar Sempozyumları 2 Kitabı, Side/Antalya, s:50.
- Türkçapar MH, Akdemir A, Elverici ŞK ve ark. (1997). Yatarak tedavi gören bir grup alkol bağımlısında ek psikiyatrik hastalıklar, kişilik bozuklukları, depresyon ve kaygı düzeyleri. 3P Dergisi, 5:29-34.
- Türkçapar MH, Akdemir A, Elverici ŞK, İşcan ND, Göka E, Özbay MH (1997). Yatarak tedavi gören bir grup alkol bağımlısında ek psikiyatrik hastalıklar, kişilik bozuklukları, depresyon ve kaygı düzeyleri. 3P Dergisi,5:29-34.
- Ursano RJ, Fullerton CS, Vance K, Kao T (1999). Posttraumatic stress disorder and identification in disaster workers. *American Journal Psychiatry*, 156: 353-359.
- US Department of Health and Human Services (1993).Eighth special report to the US Congress on alcohol and health., Public Health Service, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism, NIH Publication.

- US Department of Health and Human Services (1995). Physicians guide to helping patients with alcohol problems. Public Health Service, National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism, NIH Publication,
- US Department of Health and Human Services (1995). Preliminary estimates from the 1994 national household survey on drug abuse.
- US Department of Health and Human Services, Center for Substance Abuse Treatment. (1993). Treatment of Alcohol Detoxification. Treatment Improvement Protocol Series (TIP).
- Uzday T (1996) Alkolün farmakolojik özellikleri ve alkol bağımlılığının nörofarmakolojik yönleri. Ege psikiyatri sürekliliği yayını kitabından. Ed: Ahmet Çelikkol.,
- Üstün B, Sağduyu A, Rezaki M (1997). Temel Sağlık Hizmetlerinde Ruhsal Sorunlar. Uluslararası Dünya Sağlık Örgütü Çalışması. İstanbul.
- Üstün B, Sağduyu A, Rezaki M Temel Sağlık Hizmetlerinde Ruhsal Sorunlar. Uluslararası Dünya Sağlık Örgütü Çalışması, İstanbul, (1997).
- Van Os J, Bak M, Hanssen M, Bijl RV, de Graaf R ve ark. (2002). Cannabis use and psychosis: A longitudinal population-based study. *Am J Epidemiol*, 156:319–327.
- Vega AW, Gil A, Warheit G, ve ark. (1993) The relationship white non-hispanic male adolescents. Suicide and Life-Threatening Behavior; 23:110-119.
- Verdoux H (2004). Cannabis and psychosis proneness. Castle D ve Murray R. Marijuana and madness. Cambridge University Press
- Verdoux H, Ginde C, Sorbora F, Tournier M, Swendsen J (2003). Effects of cannabis and psychosis vulnerability in daily life: An experience sampling study. *Psychol Med*, 33:3–6.
- Verdoux H, Mury M, Besançon G, Bourgeois M. (1996) Comparative study of substance dependence comorbidity in bipolar, schizophrenic and schizoaffective disorders *Encephale*. Mar-Apr;22(2):95-101
- Verheul R, Kranzler HR, Poling J ve ark. (2000). Co-occurrence of Axis I and Axis II disorders in substance abusers. *Acta Psychiatr Scand*, 101:110-118.
- Villano S A, Vlahov D, Nelson KE, et al. (1997). Incidence and risk factors for hepatitis C among injection drug users in Baltimore, Maryland. *J Clin Microbiol*; 35:3274-3277.
- Vinona JM, Ecker B, Halgin RP ve ark. (1995). “Self and other directed aggression in child and adolescents psychiatric inpatients”, *J Am Acad Child Adolesc Psychiatry*, 34: 434-444.
- Volkow ND, Fowler JS, Ding YS ve ark. (1999) Imaging the neurochemistry of nicotine actions: Studies with positron emission tomography. *Nicotine Tob Res*, 1 (Suppl. 2): 127-132.
- Wagner FA, Anthony JC (2002). From first drug use to drug dependence: developmental periods of risk for dependence upon marijuana, cocaine, and alcohol. *Neuropsychopharmacology*;26:479-88.
- Walker JI (1983). *Psychiatric emergencies*, Lippincott, Philadelphia, s:39-66.
- Weir E (2000) Substance abuse among physicians. *CMAJ*, 162:1730.
- Welsh JR (1998). “In whose best interests”? *J Adv Nurs*, 27:45-51.
- Wenzel K, Bernstein DP, Handelsman L, Rinaldi P, Ruggiero J, Higgins B (1996). Levels of dissociation in detoxified substance abusers and their relationship to chronicity of alcohol and drug use. *J Nerv Ment Dis*;184:220-227.
- Wertz J (1994). The effect of motivational interviewing on treatment participation, self-efficacy, and alcohol use at follow-up in inpatient alcohol dependent adults. [Thesis/Dissertation.]
- Wesson DR. (1995). Detoxification from Alcohol and Other Drugs, Treatment Improvement Series 19, US Department of Health and Human Services.
- White HR, Loeber R, Stouthamer-Loeber M, Farrington DP (1999). Developmental associations between substance use and violence. *Dev Psychopathol* Fall; 11:785-803.
- WHO (World Health Organization) (1993). Approaches to treatment of substance abuse, Programme on Substance Abuse, s:131-147.
- Wieder H ve Kaplan EH (1969). Drug Use in Adolescents - Psychodynamic Meaning and Pharmacogenic Effect. *Psychoanalytic Study of the Child*, 24: 399-431.

- Williams JH, Wellman NA, Rawlins JNP (1996). Cannabis use correlates with schizotypy in healthy people. *Addiction*, 91:869-877.
- Wilson W, Mathew R, Turkington T, et al. (2000). Brain morphological changes and early marijuana use: a magnetic resonance and positron emission tomography study. *J Addict Dis*, 19:1-22.
- Winkins JA (1970) Follow up study of those who called a suicide prevention center. *Am J Psychiatry* ; 127: 155-161.
- Winters, K. (2005) Expanding treatment options for drug-abusing adolescents using brief intervention. *Science Addiction*, www.tresearch.org
- Winters, K. C. & Leitten, W. (2007) Brief intervention for drug-abusing adolescents in a school setting. *Psychology of Addictive Behaviors*, 21, 249-254
- Wodak A (1998). Medical complications of drug taking.. Management of drug users in the community, ed: R Robertson. Oxford University Press, 138-145.
- Wutzke, S.E., Conigrave, K.M., Saunders, J.B. & Hall, W.D. (2002) The long-term effectiveness of brief interventions for unsafe alcohol consumption: a 10-year follow-up, *Addiction*, 97, 665-675
- Yanık M (2002) . İlk esrar kullanımında oluşan panik atak: iki olgu nedeniyle esrar kullanımı ile panik bozukluk ilişkisi. *Klinik Psikofarmakoloji Bülteni*, 12(4):191-193.
- Yargıç Lİ, Şar V, Tutkun H, Alyanak B(1998). Comparison of dissociative identity disorder with other diagnostic groups using a structured interview in Turkey. *Compr Psychiatry*; 39:345-351.
- Yargic Lİ, Şar V, Tutkun H(1995). The reliability and validity of the Turkish version of the Dissociative Experience Scale. *Dissociation* 1995; 8: 10-13.
- Yazman Ü (1995). Lise gençliğinin psikoaktif maddelere bakışı ve kullanım oranlarının Türkiye- İstanbul örneği ile incelenmesi., Uzmanlık tezi, İstanbul.
- Yeşilbursa D, Türkcan S, Çam F, Saatçioğlu Ö, Uygur N (1996). HIV risk factors among drug users in a group of Turkish inmates, X. World Congress of Psychiatry, Poster, Madrid, Spain ;:23-28.
- Yew D ve Hahn I (2004). Toxicity, MDMA.
- Zametkin AJ, Liotta W, Lebov S (1990). The neurobiology of attention deficit/hyperactivity disorder. *Journal of Clinical Psychiatry*, 59:17-23.
- Zammit S, Allebeck P, Andreasson S, Lundberg I, Lewis G (2002). Self reported cannabis use as a risk factor for schizophrenia in Swedish conscripts of 1969: historical cohort study. *BMJ*. Nov 23; 325(7374):1199.
- Zimmet SV, Strous RD, Burgess ES, Kohnstamm S, Green AI (2000). Effects of clozapine on substance use in patients with schizophrenia and schizoaffective disorder: a retrospective survey. *J Clin Psychopharmacol*, 20:94-98.
- Zisseron, R.N., Palfai, T.P. & Saitz, R. (2007) "No-Contact" Interventions for Unhealthy College Drinking: Efficacy of Alternatives to Person-Delivered Intervention Approaches. *Substance Abuse*, 28, 4, 119-113.